




CLINICAL TOOL

# New Era in the Treatment of Iron Deficiency in Patients with Inflammatory Bowel Disease


# Diagnosis of Iron Deficiency Anemia<sup>1</sup>

 CLINICAL TOOL




# Evaluation of Iron Deficiency Anemia<sup>1</sup>

 CLINICAL TOOL




# Treatment of Iron Deficiency Anemia<sup>1</sup>

 CLINICAL TOOL



# Diagnosis, Treatment, and Follow-up Specific to IBD<sup>2</sup>

 CLINICAL TOOL



## REFERENCES

- Short MW, Domagalski JE. Iron deficiency anemia: evaluation and management. *Am Fam Physician*. 2013;87(2):98–104.
- Jimenez KM, Gasche C. Management of iron deficiency anaemia in inflammatory bowel disease. *Acta Haematol*. 2019;142(1):30–36.
- Ko CW, Siddique SM. Spotlight: Gastrointestinal Evaluation of Iron Deficiency Anemia. *Gastroenterology*. 2020 Sep;159(3):1096.

\* AGA 2020 Guidelines Management of IDA in IBD recommend use of ferritin 45 ng/mL as the cutoff value in the absence of active inflammation



**CME OUTFITTERS**

**877.CME.PROS (877.263.7767)**

[www.cmeoutfitters.com](http://www.cmeoutfitters.com)